


MANUAL

INFRARED BACKREST



Not for use in the USA, Canada and Mexico.

ENGLISH

SAFETY INSTRUCTIONS

Please take note of these safety precautions before using the infrared backrest.

Infrared backrest must be used with caution.







adult supervision when using the infrared backrest. Under no circumstances should children be allowed to

Read the manual for additional important instructions.



play with the device.



Overexposure may have adverse effect to the body.



Make sure that the infrared emitter is not directly hitting to your head.



Do not use when you are suffering from sunburns, skin deceases or undergoing photosensitivity treatments.



Refrain from using the infrared backrest when any of its components are broken.



Back of the infrared backrest must always be open for a proper airflow. Do not place any obstruction at the back of the emitter as it may overheat.



Never throw water into the infrared backrest as it may cause damage.



Unplug the device when not in use.



Covering the IR panel causes fire hazard.




If the supply cord is damaged, it must be replaced by the manufacturer or its qualified service agent to avoid hazard.

INSTRUCTIONS

The infrared backrest can be used in the office or other relaxing area of your choice.


Provide an outlet to plug the cable. Place the infrared backrest on a bench. Make sure that the bench is wide enough so that you can comfortably sit and lean to it with your back. Turn the infrared emitter ON by clicking the switch. Switch OFF the power if the heat becomes uncomfortable. Use infrared backrest for a maximum of 20 mins per session only. When using for first time and you experience unexpected body reaction or discomfort within 48hrs, seek for a medical attention.



MAINTENANCE

- To clean the wood: use a mild detergent and wipe with a damp cloth. Be careful
 not to wet the infrared emitter. In case of stain, scrub with fine sandpaper to
 regain wood's original property.
- To clean the infrared emitter: rub with a dry cloth or use a vacuum to remove dusts.

ELECTRICAL DIAGRAM





Technical Specifications:

Code: 505-IR-A | D

Power: 220-230 VAC 1N~

50/60 Hz

Max 170 W

Size: 300mm (W) x 180mm (D) x 950mm (H)

Weight: 4.7 kg

Type: Far-infrared

Surface: Fiber coated material

Wavelength: 6000-14000nm

Ambient: Max 75°C

C€ IP21 🕱

Subject to change without notice.

