

KRIOS

Heating In Style

This beautiful wall-mounted heater has stainless steel casing with signature SAWO-pattern. Inspired by Aries and Cubos models, this heater is something you have never seen before.

With more stones, Krios gives more steam. Perfect especially for small and medium sized saunas to bring smooth and humid heat.

- Power rating from 4.5kW to 9kW.
- Available with Ni2, NS and NB controlling










Krios Ni2 with Saunova 2.0 Control



Minimum Safety Distances

KRIOS Ni2

Easy Installation

Add only Saunova 2.0 control and Krios Ni2 is heating up in no time. The power controller is built-in to heater, no need for additional connections.

Heating Up Smartly

Saunova 2.0 has smart controlling feature, which will save energy and increase heating elements life span. Control can also be connected to household automation systems.

Flexible Placing

Saunova 2.0 can be installed either inside or outside sauna, however you like it. Especially convenient for glass-front and outdoor saunas.

HEATER MODEL k		SAUNA ROOM		SIZE OF HEATER			STONES C	CONTROL	MINIMUM SAFETY DISTANCES
HODEE		MIN (r	MAX n³)	LENGTH	WIDTH (mm)	HEIGHT	(kG)		A
KRI-45Ni2	4,5	3	6	390	*290	**600	40	Saunova 2.0	50
KRI-60Ni2	6,0	5	9	390	*290	**600	40	Saunova 2.0	80
KRI-80Ni2	8,0	7	13	390	*290	**670	50	Saunova 2.0	100
KRI-90Ni2	9.0	8	14	390	*290	**670	50	Saunova 2.0	100


^{*}Width when installed to wall.

^{**}Height with reflector.





Krios NS with Innova Controls



Minimum Safety Distances

KRIOS NS

Sauna Just Way You Like It

Innova controls allow to set your preference time and temperature, dim the lights, adjust automatic fan to dry up after and make sure no-one else can change these settings. You have even possibility to make this your weekly routine.

Choose Your Favorite Control

Combine NS-heater with Power Controller and Innova Classic 2.0, Stainless Steel Touch or Classic control.

	HEATER MODEL	kW	MIN	ROOM MAX n³)	SIZI LENGTH	E OF HEA WIDTH (mm)	TER HEIGHT	STONES (kG)	CONTROL	MINIMUM SAFETY DISTANCES A
ı	KRI-45NS	4,5	3	6	390	*290	**580	40	Innova	50
	KRI-60NS	6,0	5	9	390	*290	**580	40	Innova	80
	KRI-80NS	8,0	7	13	390	*290	**650	50	Innova	100
	KRI-90NS	9,0	8	14	390	*290	**650	50	Innova	100


^{*}Width when installed to wall.

^{**}Height with reflector.





Krios NB with Built-in Control



Minimum Safety Distances

KRIOS NB

Simple And Easy

NB-control allows to adjust the temperature and set time. The control is already built-in to heater, no need for additional installation and can be rotatable either left, front and right to your desired position for easy access.


On-time max. 4h and preset-time max. 8h.

HEATER MODEL	kW	MIN	A ROOM MAX m³)	SIZI LENGTH	OF HEA WIDTH (mm)	TER HEIGHT	STONES (kG)	CONTROL	MINIMUM SAFETY DISTANCES A
		- '							
KRI-45NB	4,5	3	6	390	*290	**580	40	Built-in	50
KRI-60NB	6,0	5	9	390	*290	**580	40	Built-in	80
KRI-80NB	8,0	7	13	390	*290	**650	50	Built-in	100
KRI-90NB	9,0	8	14	390	*290	**650	50	Built-in	100


^{*}Width when installed to wall.

^{**}Height with reflector.





KRIOS Guard Rail Cedar (D) (KRI-GUARD-W-D)



KRIOS Guard Rail Cedar (A) (KRI-GUARD-W-A)

Heater Guard Rail

Increase the safety and style of your sauna with optional Krios heater guard. Heater guard will protect against accidental contact with the heater. Available in Cedar and Aspen to add finishing touch to sauna design.

HEATER GUARD	SIZE OF HEATER					
MODEL	LENGTH	WIDTH (mm)	HEIGHT			
KRI-GUARD-W-D A	630	385	90			

