



SAUNA

CONTROLS



SAuna WORLD

 sawo.com

   [SAWO Sauna](#)

 [Sawo Inc.](#)

Which control option is the right fit?

All of our external controls feature a **Smart Control**, which reduces energy consumption by automatically hibernating heating elements once the set temperature is reached. It does this gradually, turning elements off one by one to preserve a gradual rise in temperature instead of sharp spikes.

Once the temperature starts dropping, necessary heating elements are turned on one by one to keep the temperature steady. This extends the heating elements' lifespan.

The sauna temperature is measured with a separate sensor placed inside the sauna. Not only does separate sensor ensure the temperature is always accurate - it also makes the heater more energy-efficient.

We currently offer the following control options for our heaters:

- NS = Separate Control Unit, Saunova and Innova compatible
- Ni = Separate Control Unit with Built-in Power Controller, Innova compatible
- Ni2 = Separate Control with Built-in Power Controller, Saunova compatible
- NB = Built-in Control, not compatible with external controls

SAWO SENSE CONTROLS | SAUNA CONTROLS

The **SAWO Sense** takes smart sauna control to the next level with its sleek touchscreen interface. It offers effortless management of temperature, lighting, and other sauna functions through both its intuitive display and the SAWO app via built-in Wi-Fi connectivity.



SAWO Sense Metal

code: SEN-UI-SST



SAWO Sense Black

code: SEN-UI-BL



SAWO Sense Hemlock

code: SEN-UI-H



SAWO Sense White

code: SEN-UI-WH



WI-FI
COMPATIBLE

BUILT-IN WI-FI



SAUNOVA CONTROLS | SAUNA CONTROLS



With mobile App

Saunova 2.0 PLUS
code: SAU-UI-V2-PLUS

- » Remote control: Set schedule and control the heater from anywhere and any distance.
- » Intuitive interface: Use the app and controls with ease, thanks to our streamlined UI/UX design.
- » Integrated controls: All control settings can be managed through one platform: the smart control or the mobile app.
- » Real-time monitoring: Get instant access to the current sauna temperature and session time.
- » Safety: Heaters automatically turn off when the timer reaches zero.



Saunova 2.0
code: SAU-UI-V2

- » Dimensions: (L) 37 x (W) 104 x (H) 147mm
- » Direct control for all Ni2 heaters, for NS Heaters 2,3 – 9,0kW add Saunova 2.0 Power Controller, for 9,0 – 18,0kW add Saunova 2.0 Contactor Unit.
- » Power Controller
- » More than 9,0kW needs a Contactor
- » Smart heater control feature for automatic heat control.
- » Optional Fan and Combi features



Saunova Simple
code: SAU-UI-S

- » Dimensions: (L) 37 x (W) 104 x (H) 147mm
- » For those looking for simplicity on sauna heater control. Enables the to focus on the basics, turning the heater on / off

SAUNOVA CONTROLS | SAUNA CONTROLS



Saunova 2.0 Built-in

code: SAU-B-V2

- » Dimensions: (L) 80 x (W) 320 x (H) 270mm
- » Combined User Interface and Power Controller
- » For all NS heaters 2,3 – 9,0kW, for 9,0 – 18,0kW add Saunova 2.0 Contactor Unit
- » Smart heater control feature for automatic heat control
- » Compatible with Door Sensor
- » Optional Fan and Combi features



Saunova 2.0 Power Controller

code: SAU-PC-V2



Saunova 2.0 Contactor Unit


code: SAU-PS-V2



Innova Classic 2.0

code: INC-S-V2

- » Dimensions: (L) 37 x (W) 104 x (H) 147mm
- » Direct control for all Ni heaters, for NS heaters 2,3 – 15,0kW add the Innova 2.0 Power Controller, for 15,0 – 30,0kW add Innova 2.0 Contactor Unit
- » Smart heater control feature for automatic heat control
- » Compatible with Door Sensor
- » Optional Fan and Combi features



Innova Stainless Steel Touch

code: INT-S-SST

- » Dimensions: (L) 37 x (W) 147 x (H) 104mm
- » Direct control for all Ni heaters, for NS heaters 2,3 15,0kW add the Innova 2.0 Power Controller, for 15,0 – 30,0kW add Innova 2.0 Contactor Unit
- » Smart heater control feature for automatic heat control
- » Compatible with Door Sensor
- » Optional easy mode
- » Power blackout memory
- » Optional Fan, Dimmer and Combi features



Innova Classic 2.0 Built-in

code: INC-B-V2

- » Dimensions: (L) 80 x (W) 320 x (H) 270mm
- » Combined User Interface and Power Controller
- » For all NS Heaters 2,3 – 15,0kW, connect with Innova 2.0 Contactor Unit for 15,0 – 30,0kW heaters
- » Smart heater control feature for automatic heat control
- » Optional Fan and Combi features

INNOVA CONTROLS

SAUNA CONTROLS



Innova Classic

code: INC-S

- » Dimensions: (L) 31 x (W) 180 x (H) 105mm
- » Direct control for all Ni heaters, for NS heaters 2,3 – 15,0kW add the Innova 2.0 Power Controller, for 15,0 – 30,0kW add the Innova 2.0 Contactor Unit
- » Smart heater control feature for automatic heat control
- » Compatible with Door Sensor
- » Pre-run timer
- » Optional Fan, Dimmer and Combi features



Innova Classic Built-in

code: INC-B

- » Dimensions: (L) 75 x (W) 245 x (H) 265mm
- » Combined User Interface and Power Controller
- » For all NS Heaters 2,3 – 15,0kW, for 15,0 30,0kW add the Innova 2.0 Contactor Unit
- » Smart heater control feature for automatic heat control
- » Optional Fan, Dimmer and Combi features



Innova 2.0 Power Controller

code: INP-C-V2



Innova 2.0 Contactor Unit

code: INP-S-V2



SAuna WORld



sawo.com



SAWO Sauna



Sawo Inc.